



MT5000
TECHNICAL SPECIFICATION

MT5000

The MILL TRACK M5000 tracked hammer mill is a compact mill crushing machine, for a fact it is the smallest tracked hammer mill on the market today. Equipped with a diesel engine, it can be loaded by ramps on any truck or trailer, and transported with ease, thanks to its compact size and limited weight. The hammer mill crusher MILL TRACK M5000, shatters and pulverizes glass light concrete, cement tiles, ceramics, toilettes etc. It is the best solution for glass recycling companies and porcelains manufacturers.

- 1. CRUSHER
- 2. FEEDER
- 3. PRODUCT CONVEYOR
- 4. POWERUNIT
- 5. TRACKS



CRUSHER



TECHNICAL DATA

MILL WORKING

Mill dimension
15.7 in x 11.8 in

Adjustment
Bars

Granulometry
0 in - .9 in

FEEDING: LOADING BELT WITH HOPPER

Length
5.8 ft

Width
4.1 ft

Hopper Capacity
0,6 m³

Loading Height
6.2 ft

EXTRACTING BELT

Length
8.2 ft

Width
1.3 ft

Pile height
3.6 ft

ISUZU ENGINE

Power
21/28,5 kW/Hp

Consumption
5,5 L/h

Cylinder
N°3

Cooling
Water

RUBBER CRAWLED TRACK

Length
6.8 ft

Width
11.8 in

PERFORMANCE

Production
5-25 T/h

Max size
.9 in

Standard weight
7,495 lbs




STANDARD MACCHINE

Remote control for all the movements.

ACCESSORIES

- Magnetic roller.
- Dust dumping system.



TRANSPORT DIMENSION & WORKING DIMENSION

